

E Fujii *Lights*



AL-34L P28



AL-36 P30



AL-01P P32



AL-01T P34



AL-01L P36



AL-14 P38



AL-15 P40



AL-17 P42



AL-01L P36



AL-18 P44



AL-19 P46



AL-19 Mini P45



AL-20 P48



AL-21 P50




AL-40 Series



COLOUR & COVER OPTIONAL:




CHARGING METHOD:



FEATURES:

- Ceramic Cover;
- Button three-level dimming;
- Battery capacity work from morning to night;
- Large Li-ion battery capacity;
- Long battery life;
- Fast charging efficiency;
- Customization;

DIMENSION: Unit(mm)



Watt	Input	lm	Li-ion Battery	Service time	Charging time	CCT	Ra	IP Rating
0.3W	5V/ 1A	20	3.7V /600mAh	8 h	5 h	2700K	80	IP 54



AL-40B Series

TABLE LAMP





COLOUR & COVER OPTIONAL:



White


CHARGING METHOD:



FEATURES:

- Button three-level dimming;
- Battery capacity work from morning to night;
- Large Li-ion battery capacity;
- Long battery life;
- Fast charging efficiency;
- Customization;

DIMENSION: Unit(mm)



Watt	Input	lm	Li-ion Battery	Service time	Charging time	CCT	Ra	IP Rating
0.3W	5V/ 1A	30	3.7V /600mAh	8 h	5 h	2700K	80	IP 54







COLOUR & COVER OPTIONAL:



White


CHARGING METHOD:



FEATURES:

- Button three-level dimming;
- Battery capacity work from morning to night;
- Large Li-ion battery capacity;
- Long battery life;
- Fast charging efficiency;
- Customization;

DIMENSION: Unit(mm)



Watt	Input	lm	Li-ion Battery	Service time	Charging time	CCT	IP Rating
0.3W	5V/ 1A	8	3.7V /600mAh	8 h	5 h	1800K	IP 54



AL-00F

4 IN 1 PG MULTI-CHARGING BASE

*suitable for products:
AL-40, AL-40B, AL-44, AL-45




CONNECTION METHOD:



FEATURES:

- Tool free connection, Max. 3 connections;
- Fast charging efficiency;
- Customization;

DIMENSION: Unit(mm)



Watt	Input	IP Rating
3W	5V/ 2A	IP 20



AL-41 Series


TABLE LAMP



COLOUR & COVER OPTIONAL:




CHARGING METHOD:



FEATURES:

- Ceramic Cover;
- Touch ON/OFF, Stepless dimming, Memory function;
- Battery capacity work from morning to night;
- Large Li-ion battery capacity;
- Long battery life;
- Fast charging efficiency;
- Customization;

DIMENSION: Unit(mm)



Watt	Input	lm	Li-ion Battery	Service time	Charging time	CCT	Ra	IP Rating
1.9W	5V/ 2A	190	3.7V / 4400mAh	8 h	5 h	2700K	90	IP 54



AL-41T Series

TABLE LAMP





DIY COMBINATION:



COLOUR & COVER OPTIONAL:




CHARGING METHOD:



FEATURES:

- Ceramic Cover;
- Touch ON/OFF, Stepless dimming, Memory function;
- Battery capacity work from morning to night;
- Large Li-ion battery capacity;
- Long battery life;
- Fast charging efficiency;
- DIY products, smaller packaging and lower costs;
- Customization;

DIMENSION: Unit(mm)



Watt	Input	lm	Li-ion Battery	Service time	Charging time	CCT	Ra	IP Rating
1.9W	5V/ 2A	190	3.7V /4400mAh	8 h	5 h	2700K	90	IP 54



AL-41L Series



FLOOR LAMP



Magnetic





DIY COMBINATION:



COLOUR & COVER OPTIONAL:




CHARGING METHOD:



FEATURES:

- Ceramic Cover;
- Touch ON/OFF, Stepless dimming, Memory function;
- Battery capacity work from morning to night;
- Large Li-ion battery capacity;
- Long battery life;
- Fast charging efficiency;
- DIY products, smaller packaging and lower costs;
- Customization;

DIMENSION: Unit(mm)



Watt	Input	lm	Li-ion Battery	Service time	Charging time	CCT	Ra	IP Rating
1.9W	5V/ 2A	190	3.7V / 4400mAh	8 h	5 h	2700K	90	IP 54



AL-35 Series

TABLE LAMP




DIY COMBINATION:



COLOUR OPTIONAL:




CHARGING METHOD:



FEATURES:

- Touch ON/OFF, Stepless dimming, Memory function;
- Battery capacity work from morning to night;
- Large Li-ion battery capacity;
- Long battery life;
- Fast charging efficiency;
- DIY products, smaller packaging and lower costs;
- Customization;

DIMENSION: Unit(mm)



Watt	Input	lm	Li-ion Battery	Service time	Charging time	CCT	Ra	IP Rating
0.5W	5V/ 1A	30	3.7V / 1200mAh	8 h	5 h	2700K	80	IP 54



AL-42 Series




DIY COMBINATION:



COLOUR OPTIONAL:




CHARGING METHOD:



FEATURES:

- Touch ON/OFF, Stepless dimming, Memory function;
- Battery capacity work from morning to night;
- Large Li-ion battery capacity;
- Long battery life;
- Fast charging efficiency;
- DIY products, smaller packaging and lower costs;
- Customization;

DIMENSION: Unit(mm)



Watt	Input	lm	Li-ion Battery	Service time	Charging time	CCT	Ra	IP Rating
0.5W	5V/ 1A	40	3.7V / 1200mAh	8 h	5 h	2700K	80	IP 54



AL-43 Series

TABLE LAMP




DIY COMBINATION:



COLOUR OPTIONAL:




CHARGING METHOD:



FEATURES:

- Touch ON/OFF, Stepless dimming, Memory function;
- Battery capacity work from morning to night;
- Large Li-ion battery capacity;
- Long battery life;
- Fast charging efficiency;
- DIY products, smaller packaging and lower costs;
- Customization;

DIMENSION: Unit(mm)



Watt	Input	lm	Li-ion Battery	Service time	Charging time	CCT	Ra	IP Rating
1W	5V/ 1A	80	3.7V /2400mAh	8 h	5 h	2700K	80	IP 54



AL-34T Series



TABLE LAMP



AL-34A



AL-34B



DIY COMBINATION:



COLOUR & COVER OPTIONAL:




CHARGING METHOD:



FEATURES:

- Touch ON/OFF, Stepless dimming, Memory function;
- Battery capacity work from morning to night;
- Large Li-ion battery capacity;
- Long battery life;
- Fast charging efficiency;
- DIY products, smaller packaging and lower costs;
- Customization;

DIMENSION: Unit(mm)



Watt	Input	lm	Li-ion Battery	Service time	Charging time	CCT	Ra	IP Rating
1.9W	5V/ 2A	190	3.7V / 4400mAh	8 h	5 h	2700K	90	IP 54



AL-34L Series



FLOOR LAMP



AL-34A



AL-34B



DIY COMBINATION:



COLOUR & COVER OPTIONAL:




CHARGING METHOD:



FEATURES:

- Touch ON/OFF, Stepless dimming, Memory function;
- Battery capacity work from morning to night;
- Large Li-ion battery capacity;
- Long battery life;
- Fast charging efficiency;
- DIY products, smaller packaging and lower costs;
- Customization;

DIMENSION: Unit(mm)



Watt	Input	lm	Li-ion Battery	Service time	Charging time	CCT	Ra	IP Rating
1.9W	5V/ 2A	190	3.7V / 4400mAh	8 h	5 h	2700K	90	IP 54





COLOUR & COVER OPTIONAL:




White



Peach Fuzz

Ice Blue


CHARGING METHOD:



FEATURES:

- Touch ON/OFF, Stepless dimming, Memory function;
- Battery capacity work from morning to night;
- Large Li-ion battery capacity;
- Long battery life;
- Fast charging efficiency;
- Customization;

DIMENSION: Unit(mm)




Watt	Input	lm	Li-ion Battery	Service time	Charging time	CCT	Ra	IP Rating
1W	5V/ 1A	35	3.7V /2200mAh	8 h	4 h	2700K	90	IP 54





AL-01P Series



COLOUR OPTIONAL:




CHARGING METHOD:



FEATURES:

- Touch ON/OFF, Stepless dimming, Memory function;
- Battery capacity work from morning to night;
- Large Li-ion battery capacity;
- Long battery life;
- Fast charging efficiency;
- Customization;

DIMENSION: Unit(mm)




Watt	Input	lm	Li-ion Battery	Service time	Charging time	CCT	Ra	IP Rating
1.9W	5V/ 2A	190	3.7V / 4400mAh	8 h	5 h	2700K	90	IP 54



AL-01T Series



TABLE LAMP



AL-01A



DIY COMBINATION:



COLOUR OPTIONAL:




CHARGING METHOD:



FEATURES:

- Touch ON/OFF, Stepless dimming, Memory function;
- Battery capacity work from morning to night;
- Large Li-ion battery capacity;
- Long battery life;
- Fast charging efficiency;
- DIY products, smaller packaging and lower costs;
- Customization;

DIMENSION: Unit(mm)




Watt	Input	lm	Li-ion Battery	Service time	Charging time	CCT	Ra	IP Rating
1.9W	5V/ 2A	190	3.7V / 4400mAh	8 h	5 h	2700K	90	IP 54



AL-01L Series

FLOOR LAMP




AL-01A



DIY COMBINATION:



COLOUR OPTIONAL:




CHARGING METHOD:



FEATURES:

- Touch ON/OFF, Stepless dimming, Memory function;
- Battery capacity work from morning to night;
- Large Li-ion battery capacity;
- Long battery life;
- Fast charging efficiency;
- DIY products, smaller packaging and lower costs;
- Customization;

DIMENSION: Unit(mm)



Watt	Input	lm	Li-ion Battery	Service time	Charging time	CCT	Ra	IP Rating
1.9W	5V/ 2A	190	3.7V / 4400mAh	8 h	5 h	2700K	90	IP 54







COLOUR OPTIONAL:



Terracotta


CHARGING METHOD:



FEATURES:

- Touch ON/OFF, Stepless dimming, Memory function;
- Battery capacity work from morning to night;
- Large Li-ion battery capacity;
- Long battery life;
- Fast charging efficiency;
- Flicker Free;
- Customization;

DIMENSION: Unit(mm)



Watt	Input	lm	Li-ion Battery	Service time	Charging time	CCT	Ra	IP Rating
1.9W	5V/ 1A	175	3.7V / 4400mAh	8 h	6 h	2700K	90	IP 44



AL-15 Series


TABLE LAMP



COLOUR & COVER OPTIONAL:




CHARGING METHOD:



FEATURES:

- Touch ON/OFF, Stepless dimming, Memory function;
- Battery capacity work from morning to night;
- Large Li-ion battery capacity;
- Long battery life;
- Fast charging efficiency;
- Customization;

DIMENSION: Unit(mm)



Watt	Input	lm	Li-ion Battery	Service time	Charging time	CCT	Ra	IP Rating
1.9W	5V/ 1A	150	3.7V / 4400mAh	8 h	6 h	2700K	90	IP 44







COLOUR OPTIONAL:




CHARGING METHOD:



FEATURES:

- Touch ON/OFF, Stepless dimming, Memory function;
- Battery capacity work from morning to night;
- Large Li-ion battery capacity;
- Long battery life;
- Fast charging efficiency;
- Customization;

DIMENSION: Unit(mm)



Watt	Input	lm	Li-ion Battery	Service time	Charging time	CCT	Ra	IP Rating
1.9W	5V/ 1A	175	3.7V / 4400mAh	8 h	6 h	2700K	90	IP 44




TABLE LAMP



COLOUR OPTIONAL:




CHARGING METHOD:



FEATURES:

- Touch ON/OFF, Stepless dimming, Memory function;
- Battery capacity work from morning to night;
- Large Li-ion battery capacity;
- Long battery life;
- Fast charging efficiency;
- Customization;

DIMENSION: Unit(mm)



Watt	Input	lm	Li-ion Battery	Service time	Charging time	CCT	Ra	IP Rating
1.9W	5V/ 1A	175	3.7V / 4400mAh	8 h	6 h	2700K	90	IP 44



AL-19/ AL-19Minin


TABLE LAMP



COLOUR & COVER OPTIONAL:




CHARGING METHOD:



FEATURES:

- Touch ON/OFF, Stepless dimming, Memory function;
- Battery capacity work from morning to night;
- Large Li-ion battery capacity;
- Long battery life;
- Fast charging efficiency;
- Customization;

DIMENSION: Unit(mm)



Watt	Input	lm	Li-ion Battery	Service time	Charging time	CCT	Ra	IP Rating
1.9W	5V/ 1A	180	3.7V /4400mAh	8 h	6 h	2700K	90	IP 54



TABLE LAMP





COLOUR OPTIONAL:



White


CHARGING METHOD:



FEATURES:

- Touch ON/OFF, Stepless dimming, Memory function;
- Battery capacity work from morning to night;
- Large Li-ion battery capacity;
- Long battery life;
- Fast charging efficiency;
- Customization;

DIMENSION: Unit(mm)



Watt	Input	lm	Li-ion Battery	Service time	Charging time	CCT	Ra	IP Rating
1.9W	5V/ 1A	180	3.7V / 4400mAh	8 h	6 h	2700K	90	IP 44



AL-21 Series


TABLE LAMP



COLOUR OPTIONAL:




CHARGING METHOD:



FEATURES:

- Touch ON/OFF, Stepless dimming, Memory function;
- Battery capacity work from morning to night;
- Large Li-ion battery capacity;
- Long battery life;
- Fast charging efficiency;
- Customization;

DIMENSION: Unit(mm)



Watt	Input	lm	Li-ion Battery	Service time	Charging time	CCT	Ra	IP Rating
1.9W	5V/ 1A	180	3.7V / 4400mAh	8 h	6 h	2700K	90	IP 44